

ET100 ELEMATIC - REEL



PRODUCT DESCRIPTION

- Coloured thin wall heat-shrink tube 2:1 - Self-extinguishing. Version in reel

FEATURES AND BENEFITS

- Thin flexible tubing in cross-linked polyolefin. Good mechanical strenght, chemical resistant

APPLICATIONS

- Electrical and mechanical protection of cables
- Permanent electrical insulation
- Applications requiring self-extinguishing properties
- Cabling identification

PRODUCT RANGE

Short Item Description ▲▼	Expanded Internal Diameter INCH ▲▼	Expanded internal diameter (mm) ▲▼	Recovered internal diameter (mm) ▲▼	Colour ▲▼	Quantity per first packaging (Level 0) ▲▼	Quantity per first packaging (Level 0) UoM ▲▼	Eurocode ▲▼
ET 100 G/V 2,4/1,2 - reel	3/32"	2.4 mm	1.2 mm	Yellow/green -	200	m	12203024GV
ET 100 G/V 50,8/25,4 - reel	2"	50.8 mm	25.4 mm	Yellow/green -	25	m	12203508GV
ET 100 black 76,2/38,1 - reel	3"	76.2 mm	38.1 mm	Black -	15	m	12203762
ET 100 black 101,6/50,8 - reel	4"	101.6 mm	50.8 mm	Black -	15	m	12203994
ET 100 black 1,2/0,6 - reel	3/64"	1.2 mm	0.6 mm	Black -	200	m	12203012
ET 100 black 1,6/0,8 - reel	1/16"	1.6 mm	0.8 mm	Black -	200	m	12203016
ET 100 black 2,4/1,2 - reel	3/32"	2.4 mm	1.2 mm	Black -	200	m	12203024
ET 100 black 3,2/1,6 - reel	1/8"	3.2 mm	1.6 mm	Black -	200	m	12203032
ET 100 yellow/green 3,2/1,6 - reel	1/8"	3.2 mm	1.6 mm	Yellow/green -	200	m	12203032GV
ET 100 black 4,8/2,4 - reel	3/16"	4.8 mm	2.4 mm	Black -	200	m	12203048
ET 100 G/V 4,8/2,4 - reel	3/16"	4.8 mm	2.4 mm	Yellow/green -	200	m	12203048GV
ET 100 black 6,4/3,2 - reel	1/4"	6.4 mm	3.2 mm	Black -	150	m	12203064

Short Item Description ▲▼	Expanded Internal Diameter INCH ▲▼	Expanded internal diameter (mm) ▲▼	Recovered internal diameter (mm) ▲▼	Colour ▲▼	Quantity per first packaging (Level 0) ▲▼	Quantity per first packaging (Level 0) UoM ▲▼	Eurocode ▲▼
ET 100 G/V 6,4/3,2 - reel	1/4"	6.4 mm	3.2 mm	Yellow/green -	150	m	12203064GV
ET 100 black 9,5/4,7 - reel	3/8"	9.5 mm	4.7 mm	Black -	150	m	12203095
ET 100 G/V 9,5/4,7 - reel	3/8"	9.5 mm	4.8 mm	Yellow/green -	150	m	12203095GV
ET 100 black 12,7/6,4 - reel	1/2"	12.7 mm	6.4 mm	Black -	100	m	12203127
ET 100 G/V 12,7/6,4 - reel	1/2"	12.7 mm	6.4 mm	Yellow/green -	100	m	12203127GV
ET 100 black 19,1/9,5 - reel	3/4"	19.1 mm	9.5 mm	Black -	50	m	12203190
ET 100 G/V 19,1/9,5 - reel	3/4"	19.1 mm	9.5 mm	Yellow/green -	50	m	12203190GV
ET 100 black 25,4/12,7 - reel	1"	25.4 mm	12.7 mm	Black -	50	m	12203254
ET 100 G/V 25,4/12,7 - reel	1"	25.4 mm	12.7 mm	Yellow/green -	50	m	12203254GV
ET 100 black 38,1/19,1 - reel	1 1/2"	38.1 mm	19.1 mm	Black -	25	m	12203381
ET 100 G/V 38,1/19,1 - reel	1 1/2"	38.1 mm	19.1 mm	Yellow/green -	25	m	12203381GV
ET 100 black 50,8/25,4 - reel	2"	50.8 mm	25.4 mm	Black -	25	m	12203508